

Simplex Plast introduces you to the most innovative and revolutionary ideas of **Water Storage**.

India's first and the very best in providing best Water Storage solutions by virtue of their unmatched properties and unique features listed below:



ISO 9001:2015
Company



ISI
Certified



B.M.C.
Approved



UV
Stabilized



Food Grade
Material



Full Size
Tanks



100% Virgin
Material



5 Years
Warranty



ABOUT US

Incepted in 1990, Simplex Plast an ISO 9001:2015 has carved a niche for itself in the domestic market. The company is well equipped to cater to the requirements of customers from various industry segments. Moreover, with the acquisition of innovative modern machines and testing facilities, Simplex is well calibrated to design and manufacture specially customized roto-moulding products.

The growth of the company in short span of time is due to an ambitious team, which is guided by Mr Suresh M.Rathod Technical Partner of the company. Humility, hard work, perseverance and faith have been his watchword and motto, which has led to the present achievement with distinction. His son, Mr Vipul S.Rathod - Partner of the company ably assist him.

These partners spearhead a highly experienced team of executives who are the heads of the respective cost centres with independent management control. This system applies at all levels, be it the production, personnel, finance and marketing departments. Each head and team is

responsible for their own success.

The company's products cater to a cross-section of clients. These are need-based and used in almost every household, shops, factories, establishments. These are environment-friendly without compromising on quality standards. An investment in our products offers high returns on cost.

Taking into consideration all aspects to maintain prices for their products, the manufacturing units have been strategically located near the consumption centres.

All these factors together with unique features have enabled Simplex Tanks to be a superior substitute to conventional RCC and MS Tanks. Moulded to seamless perfection by using the world-class manufacturing process and from FDA approved food-grade material, Simplex Tanks have created a revolution in the concept of water storage. With our strong presence in the market, we were able to achieve our targets due to our widespread network of marketing team, support system.

The growth is a way of life at SIMPLEX

The Company does not have any associate concerns.



LOFT TANKS

- ▶ 100% Virgin Material
- ▶ Heavy in Weight with Stylish Design
- ▶ Multipurpose Usage & Virtually no Maintenance
- ▶ FDA approved Material
- ▶ Excellent Resistance to Rust
- ▶ Double Lid, White Loft Tank is meant only for Indoor use



AN ISO 9001-2015 CERTIFIED COMPANY

SR. NO.	DIMENSIONS IN INCHES (APPROX.)			
	CAPACITY IN LTRS.	LENGTH	WIDTH	HEIGHT
1	L/T 100	21	21	15
2	L/T 150 (12.5)	30	24	12.5
3	L/T 150 (16)	26	26	16
4	L/T 175	36	18	18
5	L/T 200	36	20	18
6	L/T 225 (12)	40	30	12
7	L/T 225 (15)	34	27.5	15
8	L/T 250	38	27	15.5
9	L/T 275	40	27	16
10	L/T 295	41	31	15
11	L/T 300 (12)	48	34	12
12	L/T 300 (16)	40	30	16
13	L/T 320	47	35	12.5
14	L/T 325 (14)	45	33	14
15	L/T 325 (16.5)	50.5	24.5	16.5
16	L/T 325 (18)	40	30	18
17	L/T 350 (15)	42	36	15
18	L/T 350 (19.5)	50.5	24.5	19.5
19	L/T 375 (16.5)	46.5	31.5	16.5
20	L/T 375 (19)	36	36	19
21	L/T D/L 400 (12)	60	36	12
22	L/T 400 (15)	48	36	15
23	L/T 400 (17)	42	36	17
24	L/T 425 (16.5)	48	36	16.5
25	L/T 425 (17)	45	35	17
26	L/T 425 (21)	36	36	21
27	L/T 430	48	33	18
28	L/T 450	50	34	17
29	L/T D/L 450 (20)	60	24	20
30	L/T D/L 470	55	36	15
31	L/T D/L 500 (12)	62	45	12

SR. NO.	DIMENSIONS IN INCHES (APPROX.)			
	CAPACITY IN LTRS.	LENGTH	WIDTH	HEIGHT
32	L/T D/L 500 (14.5)	58	39	14.5
33	L/T D/L 500 (15.5)	72	28	16
34	L/T D/L 500 (16)	58	36	16
35	L/T 500 (18)	42	42	18
36	L/T 510	48	36	19
37	L/T 525 (18.5)	50.5	36	18.5
38	L/T 525 (23)	42	36	23
39	L/T D/L 550	60	30	20
40	L/T 575	48	36	21
41	L/T D/L 600 (16)	58	42	16
42	L/T D/L 600 (18)	60	36	18
43	L/T D/L 625	72	36	17
44	L/T D/L 650	60.5	33	20.5
45	L/T D/L 700 (18.5)	58	42	18.5
46	L/T D/L 700 (20)	64	36	20
47	L/T D/L 750	66	36	20
48	L/T D/L 800 (20)	72	36	20
49	L/T D/L 800 (22)	72	32	22
50	L/T D/L 825	60.5	36	24
51	L/T D/L 850	57	41.5	24
52	L/T 900 (18)	72	45	18
53	L/T 900 (24)	48	48	24
54	L/T D/L 1000 (22.5)	70.5	42	22.5
55	L/T D/L 1000 (23.5)	64	42	24
56	L/T D/L 1000 (24)	70	39	24
57	L/T D/L 1000 (25)	70	36	25
58	L/T D/L 1250	60	48	28
59	L/T D/L 1500	72	48	28

DOUBLE LAYER BLACK VERTICAL TANKS


- ▶ Heavy in Weight
- ▶ Threaded Lid
- ▶ Mosquito Proof
- ▶ Virtually No Maintenance
- ▶ Rust Proof



SR. NO.	DIMENSIONS IN INCHES (APPROX.)			
	CAPACITY IN LTRS.	DIAMETER	HEIGHT	M.HOLE
1	O/H 300	25	38	18
2	O/H 500	35	37	18
3	O/H 750	36	46	18
4	O/H 1000	41	49	18
5	O/H 1500	47	57	18
6	O/H 2000	51.5	68	18
7	O/H 3000	58	72	18
8	O/H 5000	73	77	18
9	O/H 7500	78	104	18
10	O/H 10000	83	122	22

TRIPLE LAYER WATER STORAGE TANKS

- ▶ Threaded Lid
- ▶ Mosquito Proof
- ▶ 100% Virgin Material
- ▶ Excellent Durability
- ▶ Stylish Design
- ▶ Resistant to Rust
- ▶ UV Protected and hygienic
- ▶ One piece moulded construction, hence 100% leak proof



Outer colour layer maintains the water temperature


Middle Black layer provides UV Protection

Inner White layer is FDA approved food-grade material, ideal for storing drinking water, while the white colour provides better visibility

SR. NO.	DIMENSIONS IN INCHES (APPROX.)			
	CAPACITY IN LTRS.	DIAMETER	HEIGHT	M.HOLE
1	O/H 300	25	38	18
2	O/H 500	37	35	18
3	O/H 750	36	46	18
4	O/H 1000	41	49	18
5	O/H 1500	47	57	18
6	O/H 2000	51.5	68	18
7	O/H 3000	58	72	18
8	O/H 5000	73	77	18
9	O/H 7500	78	104	18
10	O/H 10000	83	122	18

FOUR LAYER PUFF TANKS

- ▶ Added fourth layer of foam for better insulation
- ▶ Keeps water cooler than atmospheric temperature (Approx. 3-5° difference)
- ▶ Threaded lid
- ▶ 100% Virgin material
- ▶ 100% Food Grade material
- ▶ UV Protected and hygienic
- ▶ One piece moulded construction, hence 100% leak proof



Outer polyethene layer maintains the water temperature

Insulated Middle Black Layer provides UV protection

Polyethylene Foam Layer to keep water cooler than atmospheric temperature

Inner White layer is FDA approved food-grade material. Ideal for storing drinking water

SR. NO.	DIMENSIONS IN INCHES (APPROX.)			
	CAPACITY IN LTRS.	DIAMETER	HEIGHT	M.HOLE
1	O/H 500	35	37	18
2	O/H 750	36	46	18
3	O/H 1000	41	49	18
4	O/H 1500	47	57	18
5	O/H 2000	51.5	68	18
6	O/H 3000	58	72	18
7	O/H 5000	73	77	18

UNDERGROUND TANKS


- ▶ One Piece Moulded Construction
- ▶ Non-Porous - Prevents water contamination
- ▶ 100% Virgin Material
- ▶ 100% Food Grade Material
- ▶ Easy to Transport & Install
- ▶ Relocation is possible
- ▶ Excellent Strength
- ▶ Durable and Economical
- ▶ Virtually no maintenance



SR. NO.	DIMENSIONS IN INCHES (APPROX.)			
	CAPACITY IN LTRS.	DIAMETER	HEIGHT	M.HOLE
1	U/G 1000	47	60	18

DUSTBINS

- Impact resistant design
- Compatible with most large trash bags
- Commercial-grade wheels for easy manoeuvrability
- Attached lid to keep trash inside & animals outside
- Specially designed bottom for minimizing the breakage
- Container colours offer superior resistance to stains & scratches
- 100% Virgin & Heavy Duty Plastic
- UV Protected



	MODEL - DB 120L	MODEL - DB 240L
A	890 mm	1000 mm
B	960 mm	1080 mm
C	490 mm	660 mm
D	440 mm	550 mm
E	350 mm	490 mm
F	203 mm	203 mm
Weight	10.2 KG	15.3 KG
Useful Load	50 KG	100 KG

DUSTBINS

► Model SPDB - 60 Litres | Model SPDB - 80 Litres | Model SPDB - 100 Litres



📍 Simplex Plast, Plot No. 29-30 A, Survey No. 72/74, Diwan & Shah Udyog Nagar,
Waliv Phata, Vasai (E). Dist : Palghar | Pin : 401208, Maharashtra, India

✉ info@simplexplast.com

🌐 www.simplexplast.com



Simplex
Since 1990